

TECHNICAL DATA SHEET

PENOSIL PVC, PVCu Cleaner 946

Solvent based foil safe cleaner for use on PVC profiles and profiles covered by foils, including window frames and garden furniture.

Main benefits

- Low odour
- Foil safe
- Easy to use

Fields of application

- For cleaning of PVC and uPVC surfaces
- Cleaning of window and door frames, profiles covered by foils, garden furniture etc.

Application instructions

Application conditions

Temperature during use: +5°C to +25 °C.

Surface preparation

Test the product suitability on the substrate before use, danger of damaging surfaces.

Application method

For best results, apply and spread with a soft cloth, working well into the surface. Leave for 15 minutes and buff with a separate dry soft cloth for bright finish. Always use a separate cloth for spreading and buffing. Should not be applied under direct UV light.

Cleaning

Wash hand thoroughly after handling the product.

Colour

Colourless

Package

1L plastic container, 12 pcs in a box.

Storage conditions and shelf life

The shelf life is 12 months in its unopened original packaging, in dry conditions and protected from direct sunlight at temperatures between +5°C and +25°C. Store in cool, well-ventilated area and keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids. Storage outside these parameters will dramatically reduce shelf life and invalidates all product warranties.

Limitations

- Dissolves various surface treatments, apply carefully.
- Please observe the expiration date!
- Test surface for compatibility prior to use.

Safety regulations

Use protective gear when necessary. Keep out of reach from children. See label and safety data sheet (SDS) for more information.

Note: The instructions in the present documentation are based on tests carried out by the manufacturer and are presented in good faith. Due to variations in materials and substrates as well as the various application possibilities that are beyond our control, the manufacturer is not liable for the results achieved. In any case, it is recommended to test the product suitability at the place of application. Manufacturer reserves the right to modify products without prior notice. This TDS replaces and supersedes all previous data sheets on the same product.