

TECHNICAL DATA SHEET

PENOSIL Pear Drop Cleaner 947

Scented solvent cleaner for cleaning most types of white and veneered PVCu window and door frames, sills, boards and panels, trim, soffits and most plastics.

- Pear drop odour
- Easy to use
- Long lasting

Fields of application

- For cleaning of PVC and uPVC surfaces.
- Cleaning of window and door frames, sills, garden furniture etc.

Application instructions

Application conditions

Temperature during use: +5°C to +25 °C.

Surface preparation

Test the product suitability on the substrate before use, danger of damaging surfaces.

Application method

Shake bottle well before applying. Apply using a clean, dry, non-staining and soft cloth to the surface and rub clean. Using the wetted cloth apply product to the surface and rub clean the contaminated areas. Should not be applied under direct UV light.

Cleaning

Polish up the cleaned surface with a clean dry cloth. Wash hands thoroughly after handling the product.

Colour

Colourless.

Package

1L plastic container, 12 pcs in a box.

Storage conditions and shelf life

The shelf life is 12 months in its unopened original packaging, in dry conditions and protected from direct sunlight at temperatures between +5°C and +25°C. Store in cool, well-ventilated area and keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids. Storage outside these parameters will dramatically reduce shelf life and invalidates all product warranties.

Limitations

- Test the the product suitability on the substrate before use.
- Dissolves various surface treatments, apply carefully.
- Please observe the expiration date!

Safety regulations

Use protective gear when necessary. Keep out of reach from children. See label and safety data sheet (SDS) for more information.

Note: The instructions in the present documentation are based on tests carried out by the manufacturer and are presented in good faith. Due to variations in materials and substrates as well as the various application possibilities that are beyond our control, the manufacturer is not liable for the results achieved. In any case, it is recommended to test the product suitability at the place of application. Manufacturer reserves the right to modify products without prior notice.

This TDS replaces and supersedes all previous data sheets on the same product.