

TECHNICAL DATA SHEET

PENOSIL Professional Wipes 999

Industrial cleaning wipes to quickly remove residues from surfaces, equipment and skin.

Main benefits

- Easy to use
- Suitable for use near food
- Citrus fragrance

Fields of application

- Quick and effective removal of paints, silicones, sealants, adhesives, polymers, polyurethanes, expanding foams, bituminous putties, polyester and epoxies from hands, tools and other surfaces.
- Removes grease, oil, lubricants, inks, permanent markers stains from hands, tools and work surfaces.
- Cleaning fresh painted or sealed surfaces on windows, frames, skirting boards, worktops, floors.

Application instructions

Application conditions

Air and can temperature during use: +5°C to +30 °C.

Surface preparation

Test the product suitability on the substrate before use, danger of damaging surfaces.

Application method

To open, remove the lid, take off the plastic seal, and pull the top end of the wipe from the center of the roll, guiding it through the opening in the lid. Put the lid back on the container and tear off the wipe at the perforated area. Leave the end of the next wipe visible and close properly. To soften paint stains, rub the stains with the wipe for a few minutes. After use, dispose of the wipe in the appropriate container.

Colour

Colourless.

Package

72 wipes, 6 pcs in a box.

Storage conditions and shelf life

Guaranteed shelf life 12 months from the manufacturing date when stored in closed original package in a dry place and protected from direct sunlight and heat sources at temperatures between +5 °C and +30 °C.

Certificates

- National Sanitation Foundation (NSF) certificate.

Limitations

- Before using the product, check its compatibility in a small, hidden area.
- May not be suitable for some plastics, delicate surfaces and certain fabrics.
- Always dry liquid from your hands before handling any sensitive element or equipment.
- Do not carry impregnated wipes in your pants pockets.

Safety regulations

Use protective gear when necessary. Keep out of reach from children. See label and safety data sheet (SDS) for more information.

Note: The instructions in the present documentation are based on tests carried out by the manufacturer and are presented in good faith. Due to variations in materials and substrates as well as the various application possibilities that are beyond our control, the manufacturer is not liable for the results achieved. In any case, it is recommended to test the product suitability at the place of application. Manufacturer reserves the right to modify products without prior notice.

This TDS replaces and supersedes all previous data sheets on the same product.